



NO.212500123810833



运输危险性鉴定书

Hazard Classification and
Identification Report for Transport of Goods

锂电池类物品

样品名称： 锂离子电池 12V4500mAh 12V 50Wh

Sample name: LI-ION Battery 12V4500mAh 12V 50Wh

委托单位： 嘉兴伴辰科技有限公司
Jiaxing Banchen Technology Co., Ltd

生产单位： 嘉兴伴辰科技有限公司
Jiaxing Banchen Technology Co., Ltd



上海化工院检测有限公司
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



声 明 Statement

1. 鉴定书无上海化工院检测有限公司检验检测专用章、二维码无效。
The report is invalid without the dedicated inspection and testing seal of Shanghai Institute of Chemical Industry Testing Co., Ltd. and QR Code affixed on it.
2. 鉴定书复印件无效、涂改无效。
Duplicate, altered or forged reports are invalid.
3. 鉴定书无主检、审核、批准签字无效。
The report is invalid without the signatures of appraiser, checker and approver.
4. 除非另有说明，本鉴定书的检验对象为委托单位承诺拟运输化学品或物品的样品，鉴定结论仅适用于最终收到的样品。委托单位须保证提供给本公司的样品与实际的出运货物相一致。
Unless otherwise specified, the inspection item of the report is sample of the substances or articles declared to be transported by the applicant. Conclusion of the report only applies to the final sample as received. It is the applicant's responsibility to guarantee that samples provided are consistent with the goods to be transported.
5. 本鉴定书不涉及样品的成分鉴别，委托单位须保证提供给本公司的成分等资料真实完整，由于委托信息的真实性所带来的法律责任和其他后果均由委托单位自行承担。
The report does not involve ingredient analysis of the samples. Relevant information and documents (including information on ingredients) submitted must be authentic and complete. Otherwise, the applicant shall bear any legal liability and other possible consequence arising from the authenticity of information provided.
6. 本鉴定书当年有效。特殊情况参见鉴定书备注。
The report is valid in the year subscribed on it. On special occasions, please refer to Comment of the report.
7. 本鉴定书不考虑国家及经营人差异。
The report takes no account of any State and Operator Variations.
8. 本鉴定书仅适用于鉴定结论中的运输方式或检验方法。不同的运输方式或检验方法，鉴定结果可能会有差异。
The report is only valid for the mode of transport or inspection method specified. Different modes of transport or inspection methods may lead to different conclusions.
9. 鉴定书真伪性可登入本公司网站 www.ghs.cn 或扫描鉴定书中二维码进行查询。
The authenticity of the report can be verified by visiting our website (www.ghs.cn) or scanning the QR code on the report.
10. 送检申请可登入本公司网站 www.ghs.cn 进行网上委托。
Application for the report can be done via our website: www.ghs.cn.

地址：上海市光复西路2779号接待大厅

Address: Reception Hall, Shanghai Institute of Chemical Industry Co., Ltd., No.2779
West Guangfu Road, Shanghai, China.

邮编(Post code): 200062

电话(Tel): (008621) 31765555

邮箱(Email): center@ghs.cn

网址(Website): www.ghs.cn

运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212500123810833

Page 1/3

样品名称 Sample Name	中文 Chinese	锂离子电池 12V4500mAh 12V 50Wh		
	英文 English	LI-ION Battery 12V4500mAh 12V 50Wh		
委托单位 Applicant		嘉兴伴辰科技有限公司 Jiaxing Banchen Technology Co., Ltd		
生产单位 Manufacturer		嘉兴伴辰科技有限公司 Jiaxing Banchen Technology Co., Ltd		
检验方法、程序 Inspection method and procedure		国际海事组织《国际海运危险货物规则》(2022版) IMO International Maritime Dangerous Goods Code (2022 Edition)		
样品外观 Sample appearance		黑色, 蓝色双色塑胶外壳 Black and blue Plastics cement shell		
包装件信息 Package information		重量≤30kg. weight≤30kg.		
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement
1	可充电锂离子电池组 Rechargeable Li-ion battery	12V4500mAh	4500mAh 50Wh	电池单独运输 Battery only
鉴定结论 IDENTIFICATION CONCLUSION	1. 危险性识别(Hazards identification) 锂离子电池。 Lithium ion battery.			
	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMDG Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188.			
	3. 包装要求(Packaging requirements) 无。 None.			
	检验日期: 2025-01-03 签发日期: 2025-01-03 生效日期: 2025-01-03 Inspection Date: Issue Date: Effective Date:			
备注 Comment				

批准
Approver: 王宇审核
Checker: 董学胜主检
Appraiser: 陈新明

运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212500123810833

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本鉴定书所述锂电池按照《国际海运危险货物规则》(2022版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5.</p>
2	<p>本鉴定书所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812200600438217 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.</p> 
3	<p>锂电池完全封装在内包装内, 位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.</p>
4	<p>电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.</p>
5	<p>每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件, 符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的, 黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签, 应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10中显示电话号码附加信息的锂电池标记, 可继续使用至2026年12月31日。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No. 9A shall be deemed to meet the provisions of this special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDG CODE 2020 EDITION, showing the telephone number for additional information, may continue to be applied until 31 December 2026.</p>
6	/
7	/
-验证码:546592-	




运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 212500123810833

Page 3/3



LI-ION Battery

Product Model : 12V4500mAh
Capacity: 4500mAh (50Wh)
Operating Voltage : 8.25V-12.6V
Charge Voltage : 12.6V
Working current : <1CA
Executive standard : GB/T 36972-2018
This product is underwritten by PICC.

PRECAUTIONS

1. Do not reverse the connection of the positive and negative electrodes or use a metal object for short circuit.
2. Do not leave the battery near heat, open flames, flammable or explosive gases, Liquid and high temperature storage.
3. Do not pierce the battery pack housing with nails or other sharp objects.
4. It is strictly forbidden to disassemble the battery pack and battery in any way.



12V-3S

报告结束

